



**SURE FILTER**<sup>®</sup>

# TAKEUCHI

## SUB-CATALOG



**WHEN FILTRATION  
MATTERS**

SURE-TAK-IV-22



# INDEX

ENGINE APPLICATION .....

**A**

PRODUCT GUIDE .....

**B**



# ENGINE APPLICATION

A



# Engine Application

MODEL/APPLICATION	SURE NO
-------------------	---------

## TAKEUCHI

**TB007**  
(EXCAVATORS)  
YANMAR , 1995-UP

Air Filter.....	SFA 2745PF
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987
Oil Filter Full Flow.....	SFO 0535

**TB015**  
(EXCAVATORS)  
YANMAR , 1986-1999

Air Filter.....	SFA 2745PF
Air Filter Primary.....	SFA 2686P
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987
Oil Filter Full Flow.....	SFO 0535

**TB014**  
(EXCAVATORS)  
YANMAR 3TNE68-NTB , 1998-UP

Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987
Oil Filter Full Flow.....	SFO 0535

**TB014**  
(EXCAVATORS)  
YANMAR 3TNV70-STB , 1998-UP

Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987
Oil Filter Full Flow.....	SFO 0535

**TB016**  
(EXCAVATORS)  
YANMAR 3TNE68-NTB , 1998-UP

Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987
Oil Filter Full Flow.....	SFO 0535

**TB016**  
(EXCAVATORS)  
YANMAR 3TNV70-STB , 1998-UP

Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987
Oil Filter Full Flow.....	SFO 0535

**TB020**  
(EXCAVATORS)  
YANMAR , 1991-UP

Air Filter.....	SFA 2745PF
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 3563
Hydraulic Oil Filter.....	SFH 0010
Oil Filter Full Flow.....	SFO 3510

MODEL/APPLICATION	SURE NO
-------------------	---------

## TAKEUCHI

**TB025**  
(EXCAVATORS)  
YANMAR , 1986-1999

Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3160
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0010

**TB028FR**  
(EXCAVATORS)  
YANMAR 3TNE82 , 2001-UP

Oil Filter Full Flow.....	SFO 1238
---------------------------	----------

**TB030**  
(EXCAVATORS)

Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3160
Hydraulic Oil Filter.....	SFH 0010

**TB035**  
(EXCAVATORS)  
YANMAR , 1990-2001

Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3160
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0010

**TB045**  
(EXCAVATORS)  
YANMAR , 1990-UP

Air Filter Primary.....	SFA 1052PF
Fuel Filter.....	SFF 60661
Oil Filter Full Flow.....	SFO 3510
Oil Filter Full Flow.....	SFO 3661

**TB070**  
(EXCAVATORS)  
NISSAN

Air Filter Primary.....	SFA 1052PF
Fuel Filter.....	SFF 6220
Oil Filter Full Flow.....	SFO 5011

**TB070**  
(EXCAVATORS)  
W/NISSAN BD3004 ENG

Hydraulic Oil Filter.....	SFH 1599
---------------------------	----------

**TB070W**  
(EXCAVATORS)  
NISSAN

Air Filter Primary.....	SFA 1052PF
Fuel Filter.....	SFF 6220
Oil Filter Full Flow.....	SFO 5011

**TB070W**  
(EXCAVATORS)  
W/NISSAN BD3004 ENG

Hydraulic Oil Filter.....	SFH 1599
---------------------------	----------

**TB108**  
(EXCAVATORS)  
YANMAR 2TNE68-ETBA

Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987

**TB108**  
(EXCAVATORS)  
YANMAR 2TNV70

Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560

MODEL/APPLICATION	SURE NO
-------------------	---------

## TAKEUCHI

**TB108**  
(EXCAVATORS)  
YANMAR 2TNV70

Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987

**TB1140**  
(EXCAVATORS)  
ISUZU

Air Filter Primary.....	SFA 77251P
Air Filter Primary.....	SFA 88891P
Air Filter Primary.....	SFA 8889P
Air Filter Secondary.....	SFA 5485S
Air Filter Set.....	SFA 88891SET

**TB1140**  
(EXCAVATORS)  
ISUZU BB-4BG1TRE

Hydraulic Oil Filter.....	SFH 0340
---------------------------	----------

**TB125**  
(EXCAVATORS)  
YANMAR , 1999-UP

Air Filter Primary.....	SFA 1575P
Air Filter Secondary.....	SFA 2858S
Fuel Filter.....	SFF 1131
Fuel Filter.....	SFF 3560
Oil Filter Full Flow.....	SFO 1238

**TB125**  
(EXCAVATORS)  
YANMAR 3TNE82A

Hydraulic Oil Filter.....	SFH 7491
---------------------------	----------

**TB135**  
(EXCAVATORS)  
YANMAR , 1998-UP

Air Filter Primary.....	SFA 1575P
Air Filter Secondary.....	SFA 2858S
Fuel Filter.....	SFF 1131
Fuel Filter.....	SFF 3160
Fuel Filter.....	SFF 5910
Oil Filter Full Flow.....	SFO 1420

**TB135**  
(EXCAVATORS)  
YANMAR 3TNE88

Hydraulic Oil Filter.....	SFH 7491
---------------------------	----------

**TB14**  
(EXCAVATORS)  
YANMAR

Air Filter.....	SFA 2745PF
Fuel Filter.....	SFF 1045
Oil Filter Full Flow.....	SFO 7524

**TB145**  
(EXCAVATORS)  
YANMAR , 1998-UP

Air Filter Primary.....	SFA 1575P
Air Filter Secondary.....	SFA 2858S
Fuel Filter.....	SFF 1131
Fuel Filter.....	SFF 3160
Fuel Filter.....	SFF 5910
Oil Filter Full Flow.....	SFO 1238

**TB15**  
(EXCAVATORS)  
YANMAR

Air Filter.....	SFA 2745PF
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0010
Hydraulic Oil Filter.....	SFH 0987



# Engine Application

MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	
<b>TB175</b> (EXCAVATORS) YANMAR 4TNE98 , 2000-UP	
Air Filter Primary.....	SFA 5436P
Air Filter Secondary.....	SFA 2769S
Fuel Filter.....	SFF 1131
Fuel Filter.....	SFF 60661
Oil Filter Full Flow.....	SFO 1238
<b>TB175</b> (EXCAVATORS) YANMAR 4TNE98	
Fuel Filter.....	SFF 2150
<b>TB175</b> (EXCAVATORS) YANMAR 4TNV98-ZQTB	
Oil Filter Full Flow.....	SFO 1238
<b>TB175W</b> (EXCAVATORS) YANMAR	
Oil Filter Full Flow.....	SFO 1238
<b>TB180FR</b> (EXCAVATORS) YANMAR 4TNV98-STB1	
Air Filter Primary.....	SFA 5436P
Air Filter Secondary.....	SFA 2769S
Fuel Filter.....	SFF 1131
Oil Filter Full Flow.....	SFO 1238
<b>TB180FR</b> (EXCAVATORS) YANMAR 4TNV98-ZQTBZ	
Oil Filter Full Flow.....	SFO 1238
<b>TB20R</b> (EXCAVATORS) YANMAR 3TNV76-XTB	
Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987
<b>TB22</b> (EXCAVATORS)	
Air Filter.....	SFA 0510F
Fuel Filter.....	SFF 3560
<b>TB228</b> (EXCAVATORS) YANMAR	
Air Filter Primary.....	SFA 1575P
Hydraulic Oil Filter.....	SFH 4130
Oil Filter Full Flow.....	SFO 1238
<b>TB228</b> (EXCAVATORS) YANMAR 3TNV82	
Hydraulic Oil Filter.....	SFH 0370
<b>TB23R</b> (EXCAVATORS) YANMAR 3TNV76-XTB	
Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 5910
Hydraulic Oil Filter.....	SFH 0987
<b>TB25</b> (EXCAVATORS) YANMAR	
Air Filter.....	SFA 2745PF

MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	
<b>TB25</b> (EXCAVATORS) YANMAR	
Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3560
<b>TB25FR</b> (EXCAVATORS) , 1999-2001	
Air Filter Primary.....	SFA 1575P
Fuel Filter.....	SFF 3560
Oil Filter Full Flow.....	SFO 1420
<b>TB28FR</b> (EXCAVATORS) YANMAR 3TNE82A , 2001-UP	
Air Filter Primary.....	SFA 1575P
Air Filter Secondary.....	SFA 2858S
Fuel Filter.....	SFF 3160
Fuel Filter.....	SFF 3560
Oil Filter Full Flow.....	SFO 1238
Oil Filter Full Flow.....	SFO 1420
<b>TB28FR</b> (EXCAVATORS) YANMAR 3TNE82A	
Hydraulic Oil Filter.....	SFH 7491
<b>TB230</b> (EXCAVATORS) YANMAR 3TNV88F	
Hydraulic Oil Filter cartridge.....	SFH 3900
Hydraulic Oil Filter.....	SFH 0200
<b>TB2150</b> (EXCAVATORS) DEUTZ TCD3.6L4 , 3600, 2016	
Fuel Filter.....	SFF 9218
<b>TB240</b> (EXCAVATORS) YANMAR 4TNV88C	
Hydraulic Oil Filter cartridge.....	SFH 3900
Hydraulic Oil Filter.....	SFH 0200
<b>TB260</b> (EXCAVATORS) S/N: 126000002	
Hydraulic Oil Filter.....	SFH 0140
<b>TB260</b> (EXCAVATORS) YANMAR 4TN84T-BPTB	
Hydraulic Oil Filter cartridge.....	SFH 3900
Hydraulic Oil Filter.....	SFH 0200
<b>TB235</b> (EXCAVATORS) YANMAR 3TNV88	
Hydraulic Oil Filter.....	SFH 0370
<b>TB250</b> (EXCAVATORS) YANMAR 4TNV88	
Hydraulic Oil Filter.....	SFH 0370
<b>TB225</b> (EXCAVATORS) YANMAR 3TNV82A	
Hydraulic Oil Filter.....	SFH 4300
<b>TB36</b> (EXCAVATORS) , 1986-1991	
Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3560
<b>TB36</b> (EXCAVATORS) YANMAR	

MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	
<b>TB36</b> (EXCAVATORS) YANMAR	
Hydraulic Oil Filter.....	SFH 7491
<b>TB35</b> (EXCAVATORS) YANMAR , 1990-2001	
Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3560
<b>TB45</b> (EXCAVATORS) YANMAR , 1990-UP	
Air Filter Primary.....	SFA 1050PF
Air Filter Primary.....	SFA 1052PF
Fuel Filter.....	SFF 0009
<b>TB53FR</b> (EXCAVATORS) YANMAR , 2000-UP	
Air Filter Primary.....	SFA 1575P
Air Filter Secondary.....	SFA 2858S
Fuel Filter.....	SFF 1131
Fuel Filter.....	SFF 3160
Fuel Filter.....	SFF 5910
Oil Filter Full Flow.....	SFO 1238
<b>TB650</b> (EXCAVATORS) YANMAR	
Air Filter.....	SFA 2745PF
Fuel Filter.....	SFF 1045
Oil Filter Full Flow.....	SFO 4302
<b>TB68</b> (EXCAVATORS) NISSAN	
Air Filter Primary.....	SFA 1052PF
Fuel Filter.....	SFF 0032
Fuel Filter.....	SFF 6220
Oil Filter Full Flow.....	SFO 6500
<b>TB80FR</b> (EXCAVATORS) YANMAR , 1999-UP	
Air Filter Primary.....	SFA 5436P
Air Filter Secondary.....	SFA 2769S
Fuel Filter.....	SFF 1131
Fuel Filter.....	SFF 5910
Fuel Filter.....	SFF 60661
Oil Filter Full Flow.....	SFO 1238
<b>TL126</b> (EXCAVATORS)	
Air Filter Primary.....	SFA 1052PF
Fuel Filter.....	SFF 0009
Oil Filter Full Flow.....	SFO 178A
Oil Filter Full Flow.....	SFO 9708
<b>TL130</b> (EXCAVATORS) YANMAR	
Air Filter Primary.....	SFA 5588P
Air Filter Secondary.....	SFA 5300S
Air Filter Set.....	SFA 5588SET
Fuel Filter.....	SFF 1131
Oil Filter Full Flow.....	SFO 1238
<b>TL140</b> (EXCAVATORS) YANMAR	
Air Filter Primary.....	SFA 77251P



MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	

**TL140**

(EXCAVATORS)

YANMAR

- Air Filter Primary..... SFA 88891P
- Air Filter Primary..... SFA 8889P
- Air Filter Secondary..... SFA 5485S
- Air Filter Set..... SFA 88891SET
- Oil Filter Full Flow..... SFO 178A
- Oil Filter Full Flow..... SFO 9708

**TL150**

(EXCAVATORS)

- Air Filter Primary..... SFA 77251P
- Air Filter Primary..... SFA 88891P
- Air Filter Primary..... SFA 8889P
- Air Filter Set..... SFA 88891SET
- Fuel Filter..... SFF 5910
- Fuel Filter..... SFF 60661
- Oil Filter Full Flow..... SFO 3510

**TL10V2**

(LOADERS)

3.3L , 3300

- Fuel Filter..... SFF 1J30

**TL12R2**

(LOADERS)

3.8L , 3800

- Fuel Filter..... SFF 1J30

**TL12V2**

(LOADERS)

3.8L , 3800

- Fuel Filter..... SFF 1J30

**TL220**

(EXCAVATORS)

YANMAR

- Oil Filter Full Flow..... SFO 1238

**TL230**

(EXCAVATORS)

YANMAR

- Oil Filter Full Flow..... SFO 1238

**TL240**

(EXCAVATORS)

YANMAR

- Oil Filter Full Flow..... SFO 1238

**TL250**
















(EXCAVATORS)

- Fuel Filter..... SFF 9000
- Oil Filter Full Flow..... SFO 3171


















# PRODUCT GUIDE

**B**

<p><b>SFA 0510F</b></p> <p><b>Air Filter Metal End Cap Element With Sleeve</b></p> <p>YANMAR 129350-12900 ISEKI 1480-104-2070-0 NISSAN 16546-00H10</p>  <p>H 1 : 200 (mm) H 2 : 190 (mm) OD 1 : 131.5 (mm) OD 2 : 104 (mm) ID 1 : 63 (mm) ID 2 : 17 (mm)</p> <p>CONT : 16 VOL : 0.080</p>	<p><b>SFA 2745PF</b></p> <p><b>Air Filter Metal End Cap Element With Sleeve</b></p> <p>YANMAR 124066-12510 ISEKI 1427-101-2840-0 KUBOTA 15221-11223</p>  <p>H 1 : 184.48 (mm) H 2 : 178 (mm) OD 1 : 109.4 (mm) OD 2 : 83 (mm) ID 1 : 45 (mm) ID 2 : 15.3 (mm)</p> <p>CONT : 25 VOL : 0.079</p>	<p><b>SFA 5436P</b></p> <p><b>Air Filter Primary Soft PU end cap Element</b></p> <p>OPEL #123 84 075 SUNWARD 730403000155 KUBOTA R1401-42270 KUBOTA R1401-42280</p>  <p>Secondary Filter uses SFA 2769S Set Filter uses SFA 2768SET H 1 : 312 (mm) H 2 : 304 (mm) OD 1 : 127.5 (mm) OD 2 : 127.5 (mm) ID 1 : 83 (mm)</p> <p>CONT : 16 VOL : 0.109</p> <p>Note : For Flame Retardant version, use SFA 8043P</p>
<p><b>SFA 1050PF</b></p> <p><b>Air Filter Primary Metal End Cap Element With Sleeve</b></p> <p>ISUZU 1-14215014-0 YANMAR 121120-12901 KUBOTA 121420-12511</p>  <p>Secondary Filter uses SFA 1278S Set Filter uses SFA 1050SET H 1 : 264 (mm) H 2 : 254 (mm) OD 1 : 132 (mm) OD 2 : 104 (mm) ID 1 : 63 (mm) ID 2 : 17 (mm)</p> <p>CONT : 12 VOL : 0.075</p>	<p><b>SFA 2769S</b></p> <p><b>Air Filter Secondary Soft PU end cap Element</b></p> <p>KUBOTA 119005-12571 CASE 133721A1 HITACHI 4326841</p>  <p>Primary Filter uses SFA 5436P Set Filter uses SFA 2768SET H 1 : 303.5 (mm) H 2 : 298 (mm) OD 1 : 83 (mm) OD 2 : 79 (mm) ID 1 : 64 (mm)</p> <p>CONT : 25 VOL : 0.085</p> <p>Note : Is a Secondary Air filter for SFA 0750P, SFA 5436P</p>	<p><b>SFA 5485S</b></p> <p><b>Air Filter Secondary Soft PU end cap Element</b></p> <p>YANMAR 119117-12570 CATERPILLAR 1318903 PERKINS 26510343 YANMAR Y119117-12570</p>  <p>Primary Filter uses SFA 8889P Set Filter uses SFA 8889SET H 1 : 346 (mm) H 2 : 340 (mm) OD 1 : 92 (mm) OD 2 : 86.5 (mm) ID 1 : 72.5 (mm)</p> <p>CONT : 25 VOL : 0.110</p> <p>Note : Set filter uses SFA 8889 Set(Soft PU+Metal)</p>
<p><b>SFA 1052PF</b></p> <p><b>Air Filter Primary Metal End Cap Element With Sleeve</b></p> <p>ISUZU 1-14215135-0 KUBOTA 15606-11080 YANMAR 171064-12540</p>  <p>Secondary Filter uses SFA 3160S Set Filter uses SFA 1052SET H 1 : 288 (mm) H 2 : 279 (mm) OD 1 : 160 (mm) OD 2 : 134 (mm) ID 1 : 66.5 (mm) ID 2 : 17 (mm)</p> <p>CONT : 9 VOL : 0.096</p>	<p><b>SFA 2858S</b></p> <p><b>Air Filter Secondary Soft PU end cap Element</b></p> <p>VOLVO 11801160 CATERPILLAR 1467473 LIUGONG 40C0445 JOHN DEERE M131803 KOMATSU YM12905112530</p>  <p>Primary Filter uses SFA 1575P Set Filter uses SFA 2858SET H 1 : 265 (mm) H 2 : 259 (mm) OD 1 : 61 (mm) OD 2 : 59 (mm) ID 1 : 45 (mm)</p> <p>CONT : 25 VOL : 0.050</p>	<p><b>SFA 5588P</b></p> <p><b>Air Filter Primary Soft PU end cap Element</b></p> <p>CASE 222425A1 KUBOTA 59800-26110 ISUZU 8-97231900-0</p>  <p>Secondary Filter uses SFA 5484S H 1 : 330.8 (mm) H 2 : 322 (mm) OD 1 : 138 (mm) OD 2 : 138 (mm) ID 1 : 81 (mm)</p> <p>CONT : 12 VOL : 0.108</p>
<p><b>SFA 1575P</b></p> <p><b>Air Filter Primary Soft PU end cap Element</b></p> <p>YANMAR 119808-12520 NISSAN 16546-FJ100 KOMATSU 3EB-02-38730 SUNWARD 730403000157 KUBOTA TA040-93230</p>  <p>Secondary Filter uses SFA 2858S Set Filter uses SFA 2858SET H 1 : 273.5 (mm) H 2 : 265 (mm) OD 1 : 104 (mm) OD 2 : 104 (mm) ID 1 : 61 (mm)</p> <p>CONT : 25 VOL : 0.117</p>	<p><b>SFA 5300S</b></p> <p><b>Air Filter Secondary Soft PU end cap Element</b></p> <p>FIAT 1930588 PERKINS 26510338</p>  <p>Primary Filter uses SFA 2579P Set Filter uses SFA 2579SET H 1 : 319 (mm) H 2 : 312 (mm) OD 1 : 84 (mm) OD 2 : 79 (mm) ID 1 : 63 (mm)</p> <p>CONT : 25 VOL : 0.086</p>	<p><b>SFA 5588SET</b></p> <p><b>Air Filter Set Soft PU end cap Element</b></p> <p>CASE 222425A1+222429A1 JOHN DEERE KV16428+AP33331</p>  <p>Primary Filter uses SFA 5588P Secondary Filter uses SFA 5484S H 1 : 330.8 (mm) H 2 : 322 (mm) OD 1 : 138 (mm) OD 2 : 138 (mm) ID 1 : 81 (mm)</p> <p>CONT : 12 VOL : 0.101</p>
<p><b>SFA 2686P</b></p> <p><b>Air Filter Primary Soft PU end cap Element</b></p> <p>YANMAR 119655-12560 KOMATSU 11965512560 KUBOTA 1G659-11220</p>  <p>Secondary Filter uses SFA 5396S H 1 : 187 (mm) H 2 : 179 (mm) OD 1 : 88.5 (mm) OD 2 : 88.5 (mm) ID 1 : 46 (mm)</p> <p>CONT : 25 VOL : 0.065</p>	<p><b>SFA 5396S</b></p> <p><b>Air Filter Secondary Soft PU end cap Element</b></p> <p>YANMAR 119233-12700 MITSUBISHI 32143-11400 KUBOTA K7561-82360</p>  <p>Primary Filter uses SFA 2686P H 1 : 173 (mm) H 2 : 168 (mm) OD 1 : 44 (mm) OD 2 : 43 (mm) ID 1 : 32 (mm)</p> <p>CONT : 50 VOL : 0.031</p>	<p><b>SFA 77251P</b></p> <p><b>Air Filter Primary Soft PU end cap Element flame retardant media</b></p> <p>CLARK 1241080 TOYOTA 17741-U3330-71 KOMATSU 3EC02A541E LIUGONG 40C0496</p>  <p>H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm)</p> <p>CONT : 9 VOL : 0.116</p> <p>Note : Flame Retardant version of SFA 8889P</p>




<p><b>SFA 88891P</b> Air Filter Primary Soft PU+Metal Element</p> <p>CATERPILLAR 131-8902 LIUGONG 40C0496</p>  <p>Secondary Filter uses SFA 5485S Set Filter uses SFA 88891SET H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm)</p> <p>CONT : 9 VOL : 0.108</p> <p>Note : with reinforcement metal</p>	<p><b>SFF 0900</b> Fuel Filter Spin-On</p> <p>YANMAR 121857-55710 GENERAL MOTORS 13240032 MAZDA 1456-23-570A DAIHATSU 23303-87308 DAIHATSU 23303-87308-000</p>  <p>H 1 : 140 (mm) OD 1 : 95 (mm) Thread Size : M20X1.5-6H Thread Nut Size : M36X1.5-6H Gasket Type : Round</p> <p>CONT : 25 VOL : 0.043</p> <p>Note : not for common rail engine</p>	<p><b>SFF 3160</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 129100-56650 KUBOTA 15521-43160 KUBOTA 607</p>  <p>H 1 : 89.5 (mm) OD 1 : 50 (mm) OD 2 : 50 (mm) ID 1 : 20 (mm)</p> <p>CONT : 50 VOL : 0.018</p>
<p><b>SFA 88891SET</b> Air Filter Set Soft PU+Metal Element</p> <p>CATERPILLAR 131-8902+131-8903 LIUGONG 40C0496</p>  <p>Primary Filter uses SFA 88891P Secondary Filter uses SFA 5485S H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm)</p> <p>CONT : 9 VOL : 0.116</p> <p>Note : with reinforcement metal</p>	<p><b>SFF 1045</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 104500-55710 MASSEY-FERGUSON 3283343-M1 HITACHI 4294842 ISUZU 5-87810269-0 JOHN DEERE CH15553</p>  <p>H 1 : 69 (mm) H 2 : 66.5 (mm) OD 1 : 35 (mm) OD 2 : 35 (mm) ID 1 : 11 (mm) ADBV : YES</p> <p>CONT : 100 VOL : 0.015</p>	<p><b>SFF 3560</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 119810-56650 YANMAR 124550-55700 KUBOTA 16271-43560</p>  <p>H 1 : 87.5 (mm) H 2 : 85 (mm) OD 1 : 35 (mm) OD 2 : 35 (mm) ID 1 : 11 (mm)</p> <p>CONT : 50 VOL : 0.008</p>
<p><b>SFA 8889P</b> Air Filter Primary Soft PU end cap Element</p> <p>YANMAR 119117-12560 CATERPILLAR 131-8902 PERKINS 26510342 LIUGONG 40C0496 HITACHI 4486002</p>  <p>Secondary Filter uses SFA 5485S Set Filter uses SFA 8889SET H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm)</p> <p>CONT : 9 VOL : 0.120</p>	<p><b>SFF 1131</b> Fuel Filter Spin-On</p> <p>TCM 20801-02112</p>  <p>H 1 : 75 (mm) OD 1 : 80 (mm) Thread Size : M20X1.5-6H Gasket Type : Round</p> <p>CONT : 50 VOL : 0.034</p>	<p><b>SFF 3563</b> Fuel Filter Metal End Cap Element</p> <p>KUBOTA 15231-4356-0 KUBOTA 15231-4356-3 MITSUBISHI MM 404889</p>  <p>H 1 : 85 (mm) OD 1 : 29 (mm) OD 2 : 29 (mm) ID 1 : 13 (mm) ID 2 : 13 (mm)</p> <p>CONT : 100 VOL : 0.011</p>
<p><b>SFF 0009</b> Fuel Filter Spin-On</p> <p>NISSAN 16403-89TA1 NISSAN 16403-J5500 HITACHI 4285643</p>  <p>H 1 : 87 (mm) OD 1 : 80 (mm) Thread Size : 3/4-16 UNF-2B Gasket Type : Round</p> <p>CONT : 50 VOL : 0.042</p>	<p><b>SFF 1J30</b> Fuel Filter Spin-On High Efficiency</p> <p>KUBOTA 1J301-43170</p>  <p>H 1 : 145 (mm) OD 1 : 93.4 (mm) Thread Size : 1-14 UNS-2B Gasket Type : Round</p> <p>CONT : 12 VOL : 0.023</p> <p>Note : media 2 micron</p>	<p><b>SFF 5910</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 171081-55910 CASE 282211A1 ISUZU 5-87810874-0 KUBOTA RD819-51280</p>  <p>H 1 : 49.5 (mm) H 2 : 47 (mm) OD 1 : 35 (mm) OD 2 : 35 (mm) ID 1 : 11.5 (mm)</p> <p>CONT : 100 VOL : 0.011</p> <p>Note : Paper Wire Mesh</p>
<p><b>SFF 0032</b> Fuel Filter Metal End Cap Element</p> <p>NISSAN 16403-37000 NISSAN 16403-37225 ISUZU 5-87810005-0</p>  <p>H 1 : 57 (mm) OD 1 : 74 (mm) OD 2 : 74 (mm) ID 1 : 16 (mm) ID 2 : 16 (mm)</p> <p>CONT : 24 VOL : 0.014</p>	<p><b>SFF 2150</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 129535-52150 HITACHI 4451022</p>  <p>H 1 : 35.6 (mm) H 2 : 33 (mm) OD 1 : 41 (mm) OD 2 : 41 (mm) ID 1 : 24.5 (mm) ID 2 : 24.5 (mm)</p> <p>CONT : 100 VOL : 0.022</p>	<p><b>SFF 60661</b> Fuel Filter Spin-On</p> <p>MITSUBISHI ME 006066</p>  <p>H 1 : 80 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H Gasket Type : Square</p> <p>CONT : 36 VOL : 0.032</p>

<p><b>SFF 6220</b> Fuel Filter Spin-On</p> <p>KOMATSU 600-311-6220 KOMATSU 600-311-6221 KOMATSU 600-311-7410</p>  <p>H 1 : 87 (mm) OD 1 : 80 (mm) Thread Size : 3/4-16 UNF-2B Gasket Type : Round</p> <p>CONT : 50 VOL : 0.040</p>	<p><b>SFH 0200</b> Hydraulic Oil Filter Metal End Cap Element Cellulose media</p> <p>TAKEUCHI 15511-00200 KOBELCO 2446R336F1 KOBELCO PH50V00005F1</p>  <p>H 1 : 296 (mm) H 2 : 292 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 10 VOL : 0.052</p> <p>Note : with glassfiber media version uses SFH 3900</p>	<p><b>SFH 3900</b> Hydraulic Oil Filter cartridge Metal End Cap Element</p> <p>TAKEUCHI 15511-03900 YANMAR 172B11-73710</p>  <p>H 1 : 294.5 (mm) H 2 : 290.5 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 12 VOL : 0.062</p> <p>Note : Cellulose media version uses SFH 0200</p>
<p><b>SFF 9000</b> Fuel Filter Spin-On High Efficiency</p> <p>NISSAN 16403-01T01 NISSAN 16403-Z9000 NISSAN 16403-Z9005 KUBOTA HH1G0-43560</p>  <p>H 1 : 114.5 (mm) OD 1 : 80.2 (mm) Thread Size : 3/4-16 UNF-2B</p> <p>CONT : 50 VOL : 0.062</p>	<p><b>SFH 0340</b> Hydraulic Oil Filter Metal End Cap Element With Microfiber media</p> <p>TAKEUCHI 15511-03400</p>  <p>H 1 : 305 (mm) H 2 : 300 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 110 (mm) ID 2 : 110 (mm)</p> <p>CONT : 0 VOL : 0.000</p>	<p><b>SFH 4130</b> Hydraulic Oil Filter Metal End Cap Element</p> <p>MANITOU 15512-00703 HITACHI 4294130</p>  <p>H 1 : 52 (mm) H 2 : 48.5 (mm) OD 1 : 42.5 (mm) OD 2 : 42.5 (mm) ID 1 : 21.5 (mm)</p> <p>CONT : 50 VOL : 0.017</p>
<p><b>SFF 9218</b> Fuel Filter Spin-On</p> <p>TAKEUCHI 19039-00218</p>  <p>H 1 : 214 (mm) OD 1 : 93 (mm) Thread Size : M18X1.5-6H</p> <p>CONT : 12 VOL : 0.031</p>	<p><b>SFH 0370</b> Hydraulic Oil Filter Metal End Cap Element with synthetic media</p> <p>YANMAR 151103700T YAMASHIN 15511-03700T</p>  <p>H 1 : 280 (mm) OD 1 : 106.7 (mm) OD 2 : 106.7 (mm) Thread Size : PT1</p> <p>CONT : 12 VOL : 0.054</p> <p>Note : Takeuchi TB228, TB235, TB250</p>	<p><b>SFH 4300</b> Hydraulic Oil Filter Metal End Cap Element</p> <p>TAKEUCHI 15511-04300 HUPPENKOTHEN BAUMASCHINEN 15511-04300T</p>  <p>H 1 : 165 (mm) H 2 : 159 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 0 VOL : 0.000</p>
<p><b>SFH 0010</b> Hydraulic Oil Filter Spin-On</p> <p>KUBOTA 68131-6213-0 MITSUBISHI 91004-10021 YSK IHI-075511900 MITSUBISHI LPF 010</p>  <p>H 1 : 141 (mm) OD 1 : 93 (mm) Thread Size : 1 1/8-16 UNF-2B</p> <p>CONT : 25 VOL : 0.046</p> <p>Note : SFH 9615 (Grip body Difference)</p>	<p><b>SFH 0987</b> Hydraulic Oil Filter Wire Mesh supported Element</p> <p>HITACHI 4190987</p>  <p>H 1 : 128 (mm) H 2 : 89 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 73.4 (mm)</p> <p>CONT : 9 VOL : 0.039</p>	<p><b>SFH 7491</b> Hydraulic Oil Filter Metal End Cap Element</p> <p>YANMAR 15511-00700 TAKEUCHI 15511-03300 MECALAC/PELJOP 1551100700 YANMAR 172112-74911</p>  <p>H 1 : 223 (mm) H 2 : 219 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 10 VOL : 0.024</p>
<p><b>SFH 0140</b> Hydraulic Oil Filter Wire Mesh supported Element</p> <p>HUPPENKOTHEN BAUMASCHINEN 1550100140T TAKEUCHI 1550100140T</p>  <p>H 1 : 135 (mm) H 2 : 128 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 78 (mm) Thread Size : M10X1.5-6H</p> <p>CONT : 0 VOL : 0.000</p>	<p><b>SFH 1599</b> Hydraulic Oil Filter Metal End Cap Element</p> <p>SUMITOMO KRJ 1599</p>  <p>H 1 : 291 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 9 VOL : 0.049</p>	<p><b>SFO 0535</b> Oil Filter Full Flow Spin-On</p> <p>YANMAR 119305-35151</p>  <p>H 1 : 65 (mm) OD 1 : 65 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES</p> <p>CONT : 50 VOL : 0.021</p>

**SFO 1238** Oil Filter Full Flow Spin-On

TCM 12163-82302  
YANMAR 129150-35152  
MAZDA RF01-23-802A



H 1 : 100 (mm)  
OD 1 : 90 (mm)  
Thread Size : M20X1.5-6H  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Round

CONT : 36  
VOL : 0.040

**SFO 3661** Oil Filter Full Flow Spin-On

CATERPILLAR 1N-4402  
MITSUBISHI K466201  
MITSUBISHI MD 013661




H 1 : 125 (mm)  
OD 1 : 90 (mm)  
Thread Size : M20X1.5-6H  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES

CONT : 25  
VOL : 0.035

**SFO 9708** Oil Filter Full Flow Spin-On

ISUZU 8-94430983-0  
ISUZU 8-97049708-1




H 1 : 100 (mm)  
OD 1 : 90 (mm)  
Thread Size : M20X1.5-6H  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Round

CONT : 25  
VOL : 0.029

**SFO 1420** Oil Filter Full Flow Spin-On

MAHINDRA 14501673990  
HITACHI 26300-21010  
CHRYSLER 4186267




H 1 : 78 (mm)  
OD 1 : 87 (mm)  
Thread Size : M20X1.5-6H  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Square

CONT : 50  
VOL : 0.038

**SFO 4302** Oil Filter Full Flow Spin-On

NISSAN 15208-HC400  
HINO 15607-1920  
FORD 3396825  
MAZDA JEYO-14-302




H 1 : 85 (mm)  
OD 1 : 68 (mm)  
Thread Size : M20X1.5-6H  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES

CONT : 50  
VOL : 0.029

Note : Square type uses SFO 4110B

**SFO 178A** Oil Filter Full Flow Spin-On

HOLDEN 8-9421-7272-2




H 1 : 95 (mm)  
OD 1 : 93 (mm)  
Thread Size : M20X1.5-6H  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Square

CONT : 25  
VOL : 0.037

Note : SFO 7272, SFO 9708 (bottom plate difference)

**SFO 5011** Oil Filter Full Flow Spin-On

NISSAN 15208-65010  
NISSAN 15208-65011  
NISSAN 15208-65014




H 1 : 129 (mm)  
OD 1 : 93 (mm)  
Thread Size : 3/4-16 UNF-2B  
Gasket Type : Square

CONT : 50  
VOL : 0.070

Note : SQUARE VERSION USES SFO 257

**SFO 3171** Oil Filter Full Flow Spin-On

PERKINS 140 516 130  
SAAB-SCANIA 173171  
KUBOTA 1C010-32430



H 1 : 92 (mm)  
OD 1 : 93 (mm)  
Thread Size : 3/4-16 UNF-2B  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES

CONT : 12  
VOL : 0.018

Note : With hat/cap

**SFO 6500** Oil Filter Full Flow Spin-On

NISSAN 15209-76200  
NISSAN 15209-76201  
NISSAN 15209-C8600




H 1 : 174 (mm)  
OD 1 : 93 (mm)  
Thread Size : 1-12 UNF-2B  
ADBV : YES  
Gasket Type : Round

CONT : 12  
VOL : 0.023

**SFO 3510** Oil Filter Full Flow Spin-On

YANMAR 119005-35100  
YANMAR 16271-32091  
YANMAR Y119005-35100




H 1 : 100 (mm)  
OD 1 : 80 (mm)  
Thread Size : M20X1.5-6H  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Round

CONT : 50  
VOL : 0.056

**SFO 7524** Oil Filter Full Flow Spin-On

KUBOTA 70000-15241



H 1 : 80 (mm)  
OD 1 : 80 (mm)  
Thread Size : M20X1.5-6H  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Round

CONT : 12  
VOL : 0.012